



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/718,220	11/21/2000	Jung Jin Park	13424.7US01	3004

23552 7590 06/01/2004

MERCHANT & GOULD PC  
P.O. BOX 2903  
MINNEAPOLIS, MN 55402-0903

EXAMINER
----------

VAUGHAN, MICHAEL R

ART UNIT	PAPER NUMBER
----------	--------------

2131

DATE MAILED: 06/01/2004

4

Please find below and/or attached an Office communication concerning this application or proceeding.

**Office Action Summary**

Application No.

09/718,220

Applicant(s)

PARK, JUNG JIN

Examiner

Michael R Vaughan

Art Unit

2131

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 21 November 2000.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 1-12 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☐ Claim(s) \_\_\_\_\_ is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 21 November 2000 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

**Priority under 35 U.S.C. § 119**

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some \* c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

**Attachment(s)**

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)  
Paper No(s)/Mail Date 3.
- 4) ☐ Interview Summary (PTO-413)  
Paper No(s)/Mail Date. \_\_\_\_\_.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: \_\_\_\_\_.

## **DETAILED ACTION**

Claims 1-12 have been examined and are pending.

### ***Information Disclosure Statement***

An initialed and dated copy of Applicant's IDS form 1449, Paper No. 3, is attached to the instant Office action.

### ***Claim Objections***

Claim 5 is objected to because of the following informalities: on line 16, "an" should be --aa--. Appropriate correction is required.

### ***Claim Rejections - 35 USC ' 103***

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention

was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 1-12 are rejected under 35 U.S.C. 103(a) as being unpatentable over Snyder et al, hereinafter Snyder (USP 5,278,907) in view of Barron et al, hereinafter Barron (USP 6,658,112).

As per claims 1 and 11, Snyder teaches a device for scrambling voice and data in the mobile communication system comprising:

a controller (col. 4, lines 48-50) for generating an operational mode control signal (col. 4, lines 50-53) to control an operational mode of the voice and data, a scrambling key feeding control signal (col. 4, lines 56-57) to control data scrambling, and a sync signal generation control signal (col. 4, lines 64-65);

an operational mode processor for vocoding or bypassing a voice/data packet received from a radio channel interval, based on the operational mode control signal of the controller (col. 4, lines 50-53);

a random number generator for generating a random number based on the scrambling key feeding control signal of the controller (col. 10, lines 29-30);

a syncsignal transmitter for generating a sync signal based on the sync signal generation control signal of the controller, and sending the generated sync signal to a cable channel interval (col. 8, lines 27-35); and

a scrambler for scrambling a vocoded signal or a bypassed voice/data packet of the operational mode processor using the random number generated from the random number generator and, after complete transmission of the sync signal, sending the scrambled signal or voice/data packet to the cable channel interval (col. 5, lines 55-60).

Snyder is silent in disclosing that the scrambled signal is a PCM signal. Snyder does disclose that his invention can be utilized with a variety of scrambling techniques (col. 3, lines 50-54). Snyder also teaches that the scrambled signal can be transmitted by a number of known means use to transmit radio frequencies (col. 11, lines 45-50). Barron teaches the method of scrambling and transmitting PCM signals (col. 3, lines 1-3). PCM is another way in which the scrambled signal of Snyder could be transmitted.

In view of this, it would have been obvious to one of ordinary skill in the art at the time the invention was made to employ the teaching of Barron within the system of Snyder because PCM is way to transmit digital data over an analog carrier. One skilled in the art would have been motivated to generate the claimed invention with a reasonable expectation of success.

As per claims 5 and 12, Snyder teaches a device for descrambling voice and data in the mobile communication system comprising:

a syncsignal detector for detecting a sync signal from an scrambled signal received from a cable channel interval (col. 5, line 17);

a controller for generating a descrambling control signal, an operational mode

control signal, and a descrambling key feeding control signal, upon detection of the sync signal at the sync signal detector (col. 5, lines 19-20);

a random number generator for generating a random number based on the descrambling key feeding control signal of the controller (col. 10, lines 29-30);

a descrambler for descrambling the scrambled signal received from the cable channel interval using the random number generated from the random number generator, based on the descrambling control signal of the controller (col. 5, lines 20-22);

and an operational mode processor for vocoding a descrambled signal of the descrambler into a packet or bypassing a voice/data packet, based on the operational mode control signal of the controller, and then sending the vocoded signal or the bypassed voice/data packet to a radio channel interval (col. 5, lines 55-60).

Snyder is silent in disclosing that the descrambled signal is a PCM signal. Snyder does disclose that his invention can be utilized with a variety of scrambling techniques (col. 3, lines 50-54). Snyder also teaches that the scrambled signal can be transmitted by a number of known means use to transmit radio frequencies (col. 11, lines 45-50). Barron teaches the method of scrambling and transmitting PCM signals (col. 3, lines 1-3). PCM is another way in which the scrambled signal of Snyder could be transmitted.

In view of this, it would have been obvious to one of ordinary skill in the art at the time the invention was made to employ the teaching of Barron within the system of Snyder because PCM is way to transmit digital data over an analog carrier. One skilled

in the art would have been motivated to generate the claimed invention with a reasonable expectation of success.

As per claim 9, Snyder teaches a device for scrambling/descrambling voice and data in the mobile communication system comprising:

an operational mode processor for vocoding or bypassing a voice/data packet received from a radio channel interval based on a received operational mode signal, and vocoding or bypassing a descrambled signal or packet based on the operational mode signal (col. 4, lines 50-53);

a random number generator for generating a random number based on a received scrambling and descrambling key feeding control signal (col. 10, lines 29-30);

a sync signal transmitter for generating a sync signal based on a received control signal, and sending the generated sync signal to a cable channel interval (col. 8, lines 27-35);

a scrambler for scrambling the vocoded signal or the bypassed voice/data packet of the operational mode processor using the random number generated from the random number generator and, after complete transmission of the sync signal, sending the scrambled signal or voice/data packet to the cable channel interval (col. 5, lines 55-60);

a sync signal detector for detecting a sync signal from the scrambled signal received from the cable channel interval (col. 8, lines 27-35);

a descrambler for descrambling the scrambled signal received from the cable channel interval using the random number generated from the random number generator, based on a received descrambling control signal (col. 5, lines 20-22);

and a controller for generating the descrambling control signal to the descrambler, the scrambling and descrambling key feeding control signal, and the sync signal generation control signal, upon detection of the sync signal at the sync signal detector (col. 4, lines 48-65).

As per claims 2 and 6, Snyder teaches a switching block switched to the sync signal generator under the control of the controller to send the sync signal generated from the sync signal generator to the cable channel interval and, after complete transmission of the sync signal, switched to the scrambler according to the control signal of the controller to send the scrambled signal to the cable channel interval (col. 9, line 64-col. 10, line 4).

As per claims 3, 7, and 10, Snyder teaches a scrambling key feeder for feeding the stored scrambling key to the random number generator based on the control signal of the controller (col. 10, lines 29-31).

As per claims 4 and 8, Snyder teaches the random number generated from the random number generator includes positional information for scrambling the vocoded



Art Unit: 2131

PCM signal or the bypassed voice/data packet of the operational mode processor (col. 5, line 67—col. 6, line 4).

### ***Conclusion***

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Michael R Vaughan whose telephone number is 703-305-0354. The examiner can normally be reached on M-F 7:30-4:00.


If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ayaz Sheikh can be reached on 703-305-9648. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

MV  
Michael R Vaughan

Examiner

Art Unit 2131

  
AYAZ SHEIKH  
SUPERVISORY PATENT EXAMINER  
TECHNOLOGY CENTER 2100